



# INNOVATIVE FROM THE INSIDE OUT



#### **BATTERY AND CHARGING**

The battery with a capacity of 13 kWh is located under the floor in the back of the car and powers you for an approximately 60 km drive. When charging at home and connected to a conventional electrical grid, the battery (if completely empty) will be fully recharged within five hours. The charging time can be shortened to three hours and thirty-three minutes with a wallbox or at a charging station that supports fast charging.

#### **ENGINES**

The 1.4 TSI petrol engine offers 110 kW, the electric motor generates 85 kW and the full system power is 150 kW. For your maximum driving comfort there is an automatic 6-speed DSG. During a purely electrical drive, the eSound acoustic system is activated, alerting pedestrians that a car is coming. The system operates both when driving forward (at speeds of up to 25 km/h) and when reversing (up to 10 km/h).





## INFOTAINMENT

The 10" infotainment (Columbus navigation system shown) allows you to check the battery status, set up a purely electrical drive, or choose a drive with full system power, for example.





## LUGGAGE COMPARTMENT

Although the OCTAVIA iV is equipped with other technical features compared to the basic model, it offers plenty of space for your luggage thanks to its sophisticated interior concept.

## CHARGING CABLE COMPARTMENT

No need to think about where to store the charging cables. The charging cable compartment in the boot of the car provides plenty of room for both the fast charging cable and home charging cable.





# **CUSTOMISATION**



## STYLE BLACK INTERIOR

Fabric Tetris Black Pad with stitching, Silver Squares Haptic décor Leather/leatherette upholstery, Ergo ventilated front seats



## AMBITION BLACK INTERIOR

Narbe Ruby Pad, Goldress matt décor M-Packet: fabric/leather/leatherette upholstery

# **UPHOLSTERY**



# **COLOURS**
























# **WHEELS**



19" BECRUX alloy wheels



18" PERSEUS alloy wheels



19" BECRUX anthracite alloy wheels



18" PERSEUS anthracite alloy wheels





TECHNICAL SPECIFICATIONS	1.4 TSI/EL/150 kW PHEV
	Turbocharged petrol engine/electric engine
ENGINE	
Cylinders/Cubic capacity (cc)	4/1,395
Max. performance/Revs (kW/rpm)	110/5,000-6,000, el. 85, Σ150
Max. torque/Revs (Nm/rpm)	250/1,550-3,500, el. 330, Σ350
Air pollution regulation/Fuel	EU6AP/Petrol, RON min. 95
PERFORMANCE	
Maximum speed (km/h)	220
Acceleration 0–100 km/h (s)	7.7 (7.8)
Fuel consumption (I/100 km)	
- urban	0.0-0.0
– extra-urban	5.1 (5.3)
- combined	1.2 (1.4)
CO <sub>2</sub> emissions (g/km) – combined	28 (31)
Pure electric range (NEDC) – km	79 (75)
Electric energy consumption weighted (NEDC) – Wh/km	111 (116)
Electric energy consumption (NEDC) – kWh/100 km	11.1 (11.6)
Fuel consumption WLTP* (I/100 km)	
- combined (weighted)	-
CO <sub>2</sub> emissions WLTP* (g/km)	
- combined (weighted)	-
Pure electric range; combined (WLTP*) – km	-
Electric energy consumption weighted; combined (WLTP*) - kWh/100 km	-
CHARGING	
AC 2.3 kW (0-100%)	5 h
AC 3.6 kW (0-100%)	3 h 33 min
POWER TRANSMISSION	
Туре	Front-wheel drive
Clutch	Twin coaxial clutch, electro-hydraulically operated
Transmission	Automatic 6-speed DSG
WEIGHT	
Kerb weight – in standard version with 75 kg driver (kg)	1,608 (1,620)
Payload – incl. driver and extra equipment (kg)	410-561 (397-523)
Total weight (kg)**	2,040-2,120 (2,058-2,119)
Trailer load without brakes (max. kg)	750***
Trailer load with brakes – 12% (max. kg)	1.500***

<sup>\*</sup> Specifications measured according to the WLTP (World harmonized light-duty vehicles test procedure) will be provided by importers.

#### **FURTHER SPECIFICATIONS**

Body		
Туре	5-seater, 5-door, 2-compartment	
Drag coefficient C <sub>w</sub>	0.265 (0.287)	
Turning circle diameter (m)	11.1	
Chassis		
Front axle	McPherson suspension with lower triangular links and torsion stabiliser	
Rear axle	Multi-element axle, with longitudinal and transverse links, with torsion stabiliser	
Braking system	Hydraulic dual-diagonal circuit braking system electro-hydraulic brake assisted	
- front brakes	Disc brakes with inner cooling and with single-piston floating calliper	
– rear brakes	Disc brakes	
Steering	Direct rack-and-pinion steering with electro-mechanical power steering	
Wheels	7.5J x 18"	
Tyres	225/45 R18	
Exterior dimensions (mm)	4,000	
Lenght	4,689	
Width	1,829	
Height Wheel base	1,477 (1,475)	
Track front	2,680	
- rear	1,539 1,539	
Clearance	143	
Order direct	143	
Interior dimensions (mm)		
Lateral room		
- front	1,463	
- rear	1,444	
Effective head room		
- front	1,040 (1,039)	
– rear	970 (985)	
Luggage storage space (max. I)		
Without spare tyre, with rear seat backrests – upright/down	450/1,405 (490/1,555)	
Tank capacity (I)	39.5 + 13 kWh (10 net)	

<sup>()</sup> Applies to the combi version.

#### LIFTBACK VERSION









#### **COMBI VERSION**









<sup>\*\*</sup> According to equipment.

<sup>\*\*\*</sup> Towing device is available for selected types of chassis.

