THE ALL-NEW ŠKODA OCTAVIA RS 8 RS IV



4SY 5392

CTAT >





FOR YOUR EVERYDAY RACES

RS, those two magical letters set your heart racing. The new ŠKODA OCTAVIA RS instantly pumps adrenaline into your blood. With up to 245 horsepower under the bonnet, it will be an exciting drive – not just for you. This car also offers great safety, spaciousness and cutting-edge technology, so don't hesitate to invite all the family in. Choose between a 180 kW TSI engine, 147 kW TDI engine or a PHEV (iV) with a full power of 180 kW and live to the fullest every day. The OCTAVIA RS will keep pace with you.

That's Simply Clever. That's ŠKODA.

BOLD NEVER GOES OUT OF STYLE

The exclusive now comes in sporty. The OCTAVIA's emotional design sets a daring tone with its RS version. Combine the timeless elegance with specific dynamic features supported by the lower chassis and get a car with attitude.

EXTERIOR DESIGN

The car features a front bumper in RS design and glossy black exterior elements such as exterior side-view mirror caps, strips around the side windows, the front grille frame, and air curtain framing darkened fog lamps. The full LED Matrix headlights, which represent the latest technology, come as standard. The dynamic appearance of the exterior is enhanced by the 18" black or 19" anthracite (shown) alloy wheels. The red brake callipers emphasize the sporty character of the vehicle.





REAR VIEW

The distinctive rear bumper with glossy black decorative elements, black diffuser and visible exhaust pipe end pieces are key design features for the rear of the car. The RS version also features the ŠKODA lettering and model name on the 5th door in black. The glossy black roof railings come exclusively with the combi version.



RS BADGE

The uniqueness of the car is emphasized by original details such as the sports RS badge on the front grille, which is a nod to the famous racing tradition of ŠKODA cars.



5TH DOOR SPOILER The sporty look of the liftback



The sporty look of the liftback version is further accentuated with the 5th door spoiler for improved aerodynamics.

CLEAN EXCITEMENT

Living in the fast lane doesn't mean giving up on your principles. The new OCTAVIA RS iV offers the dynamism and efficiency of an electric engine for day-to-day urban driving while saving the horsepower under the bonnet for adventures outside the city. You don't need to compromise between performance and sustainability.



CHARGING

When charging at home and connected to a conventional electrical grid, the battery (if completely empty) will be fully recharged within five hours. The charging time can be shortened to three hours and thirty-three minutes with a wallbox or at a charging station that supports fast charging.



ENGINES

The 1.4 TSI petrol engine offers 110 kW, the electric motor generates 85 kW and the full system power is 180 kW. For your maximum driving comfort there is an automatic 6-speed DSG. The battery with a capacity of 13 kWh is located under the floor in the back of the car and powers you for an approximate driving range of 60 km. During a purely electrical drive, the eSound acoustic system is activated, alerting pedestrians that a car is coming. The system operates both when driving forward (at speeds of up to 25 km/h) and when reversing (up to 10 km/h).

LET OTHERS ENJOY THE VIEW



Marketter and Provide Party in the



COMFORT AS YOUR CO-PILOT

Step into a space where you can truly be yourself. The interior of the OCTAVIA RS is that kind of place. The legendary spaciousness of ŠKODA cars, premium materials and state-of-the-art technology spiced up with RS elements in the sports style let you experience uncompromised comfort while staying sporty at heart.




DCC WITH DRIVING MODE SELECT / SOUNDACTOR

With optional Dynamic Chassis Control (DCC), you can enjoy the high performance and sporty character of your car with maximum comfort and safety. The sporty driving style is further enhanced by choosing the Sport mode from the driving profile selection menu, controlled via the infotainment system. Driving Mode Select also includes the Soundactor function. This enables the driver to enjoy the sound of the engine from inside the car (in accordance with the selected engine mode).

VIRTUAL COCKPIT / LED AMBIENT LIGHTING

The Virtual Cockpit, which comes as standard, can display onboard computer specifications in combination with other information such as navigation. You can choose from five layouts (views), controlled via the infotainment system, including Sport view, specific to the RS version. The background illumination is determined by the interior ambient lighting offering many amazing colour options.





DOOR SILL STRIPS / WELCOME LOGO

The decorative door sill strips in the front carry an original RS inscription. The LEDs located on the underside of the front doors, projecting the ŠKODA inscription, illuminate the entry area.

RS LOGO

The RS logo embroidered on the front seat backrest is an unmistakable interior design feature.









ERGONOMIC SPORTS SEATS

Maximum comfort for the driver and front passenger is ensured by the electricallyadjustable Ergonomic seats in sports design which also feature (among other functions) cushion depth adjustment.

PEDAL COVERS

The stylish interior is complemented by sports pedal covers in alloy design. The rubber facets on the pedals will prevent your shoes from slipping. The foot step (not shown), which matches the pedal covers, emphasizes the sporty yet elegant style of the interior and increases your sense of security while driving.

CAPACITIVE SPORTS STEERING WHEEL

The multifunctional capacitive sports steering wheel in perforated leather makes for a more enjoyable and safer drive. The steering wheel detects the driver's tactility, providing an interactive interface to the Travel Assist system, which combines the functions of several security assistants. If the driver is not engaged in driving, this behavior is detected by the capacitive steering wheel.







RS ALCANTARA® INTERIOR

Alcantara® Pad with red stitching, Carbon décor Alcantara®/leather/leatherette upholstery with red stitching Ergonomic sports seats, black ceiling

RS ALCANTARA® INTERIOR

Alcantara® Pad with red stitching, Carbon décor Alcantara®/leather/leatherette upholstery with red stitching Ergonomic sports seats, black ceiling

RS ALCANTARA® INTERIOR

Alcantara® Pad with grey stitching, Carbon décor Alcantara®/leather/leatherette upholstery with grey stitching Ergonomic sports seats, black ceiling

RS FABRIC/ALCANTARA® INTERIOR

Alcantara® Pad with red stitching, Carbon décor Fabric upholstery with red stitching Ergonomic sports seats, black ceiling

UPHOLSTERY WHEELS

Black Alcantara®/leather/leatherette upholstery with grey stitching



Black fabric upholstery with red stitching

18" Comet black alloy wheels



19" Altair silver alloy wheels, polished



18" Comet black alloy wheels, polished



19" Altair anthracite alloy wheels, polished



COLOURS



CANDY WHITE U

BRILLIANT SILVER METALLIC



STEEL GREY UN



MOON WHITE METALLIC









IELVET RED METALLIC

MAGIC BLACK METALLIC







CORRIDA RED UNI



NUARTZ GREY METALLIC



TECHNICAL SPECIFICATIONS OCTAVIA RS	2.0 TSI/180 kW	2.0 TDI/147 kW	2.0 TDI/147 kW 4x4
ENGINE	Turbocharged petrol engine	Turbocharged diesel engine	Turbocharged diesel engine
Cylinders/Cubic capacity (cc)	4/1,984	4/1968	4/1968
Max. performance/Revs (kW/rpm)	180/5,250-6,500	147/3,600-4,100	147/3,600-4,100
Max. torque/Revs (Nm/rpm)	370/1,600 -4,300	400/1,750-3,500	400/1,750-3,500
Air pollution regulation/Fuel	EU6AP/Petrol, RON min. 95	EU6AP/Diesel	EU6AP/Diesel
PERFORMANCE			
Maximum speed (km/h)	250	249	243
Acceleration 0–100 km/h (s)	6.8 (6.7)	7.4	6.8
Fuel consumption (I/100 km)			
– urban	9.3-9.4 (9.0)	5.6	6.4
– extra-urban	5.1-5.2 (5.0-5.1)	3.6	4.2
- combined	6.7-6.8 (6.5)	4.4	5.0
CO ₂ emissions (g/km) – combined	153-155 (148-150)	115	131
Fuel consumption WLTP* (I/100 km)			
- low	_	-	_
– medium	_	_	_
– high	-	-	-
– extra high	-	-	_
- combined	-	-	-
CO ₂ emissions WLTP* (g/km)			
- low	-	-	_
– medium	-	-	_
– high	-	-	-
– extra high	_	-	_
- combined	-	-	-
POWER TRANSMISSION			
Туре	Front-wheel drive	Front-wheel drive	4x4
Clutch	Hydraulic single-disc clutch (Twin coaxial clutch, electro- hydraulically operated)	Twin coaxial clutch, electro- hydraulically operated	Twin coaxial clutch, electro- hydraulically operated
Transmission	Manual 6-speed (Automatic 7-speed DSG)	Automatic 7-speed DSG	Automatic 7-speed DSG
WEIGHT			
Kerb weight – in standard version			
with 75 kg driver (kg)	1,489 (1,520)	1,516	1,602
Payload – incl. driver and extra equipment (kg)	512–594 (518–602)	515-597	529-628
Total weight (kg)**	1,985-2,040 (2,023-2,080)	2,015-2,070	2,125–2,197
Trailer load without brakes (max. kg)	740 (750)	750	750
Trailer load with brakes – 12% (max. kg)	1,600	1,600	2,000

TECHNICAL SPECIFICATIONS OCTAVIA RS IV	1.4 TSI/EL/180 kW PHEV
ENGINE	Turbocharged petrol engine/electric engine
Cylinders/Cubic capacity (cc)	4/1,395
Max. performance/Revs (kW/rpm)	110/5,000-6,000, el. 85, Σ180
Max. torque/Revs (Nm/rpm)	250/1,550-3,500, el. 330, Σ400
Air pollution regulation/Fuel	EU6AP/Petrol, RON min. 95
PERFORMANCE	
Maximum speed (km/h)	225
Acceleration 0–100 km/h (s)	7.3
Fuel consumption (I/100 km)	
– urban	0.0-0.0
- extra-urban	5.6
- combined	1.5
CO ₂ emissions (g/km) – combined	33
Pure electric range (NEDC) – km	71
Electric energy consumption weighted (NEDC) – Wh/km	112
Electric energy consumption (NEDC) – kWh/100 km	11.2
Fuel consumption WLTP* (I/100 km)	
- combined (weighted)	-
CO ₂ emissions WLTP* (g/km)	
- combined (weighted)	-
Pure electric range; combined (WLTP*) – km	-
Electric energy consumption weighted; combined (WLTP*) – kWh/100 km	-
CHARGING	
AC 2.3 kW (0-100%)	5 h
AC 3.6 kW (0-100%)	3 h 33 min
POWER TRANSMISSION	
Туре	Front-wheel drive
Clutch	Twin coaxial clutch, electro-hydraulically operated
Transmission	Automatic 6-speed DSG
WEIGHT	
Kerb weight – in standard version	
with 75 kg driver (kg)	1,695
Payload – incl. driver and extra equipment (kg)	458-518
Total weight (kg)	2,135–2,166
Trailer load without brakes (max. kg)	0
Trailer load with brakes – 12% (max. kg)	0

FURTH	IFR	SPECI	FICAT	IONS

Body	5-seater, 5-door, 2-compartment	Exterior dimensions	
Drag coefficient C _w	0.254–0.270 according to car version	Length/Width/Height (mm)	4,702/1,829/1,457; 4x4: 1,456; RS iV: 1,476
Turning circle diameter (m)	11.1	Wheel base (mm)	2,681
Chassis – front axle	McPherson suspension with lower triangular links and torsion stabiliser	Track front/rear (mm)	1,541/1,550; RS iV: 1,539/1,539
– rear axle	Multi-element axle, with longitudinal and transverse links, with torsion stabiliser	Clearance (mm)	129; 4x4: 128; RS iV: 143
Braking system	Hydraulic dual-diagonal circuit braking system electro-hydraulic brake assisted	Interior dimensions	
- front brakes	Disc brakes with inner cooling and with single-piston floating calliper	Lateral room front/rear (mm)	1,463/1,444
- rear brakes	Disc brakes	Effective head room front/rear (mm)	1,040/970
Steering	Direct rack-and-pinion steering with electro-mechanical power steering	Luggage storage space (Without spare tyre)	
Wheels	7.5 x 18"	With rear seat backrests – upright/down (max. I)	600/1,555; RS iV: 450/1,405
Tyres	225/45 R18	Tank capacity (I)	50; 4x4: 55; RS iV: 39.5 + 13 kWh (10 net)

ENGIN	E
Cylinders	/Cubic capacity (cc)
Max. perf	ormance/Revs (kW/rpm)
Max. torq	ue/Revs (Nm/rpm)
Air pollut	ion regulation/Fuel
PERFO	RMANCE
Maximun	n speed (km/h)
Accelerat	ion 0–100 km/h (s)
Fuel cons	sumption (l/100 km)
– urban	
– extra-u	rban
– combin	ed
CO ₂ emis	sions (g/km) - combined
Fuel cons	umption WLTP* (l/100 km)
- low	
– mediun	1
– high	
– extra hi	•
– combin	ed
CO ₂ emis	sions WLTP* (g/km)
- low	
- mediun	1
– high	
– extra hi	5
 combin 	
POWE	R TRANSMISSION
Туре	
туре	
Clutch	

TECHNICAL SPECIFICATIONS OCTAVIA COMBI RS	2.0 TSI/180 kW	2.0 TDI/147 kW	2.0 TDI/147 kW 4x4
ENGINE	Turbocharged petrol engine	Turbocharged diesel engine	Turbocharged diesel engine
Cylinders/Cubic capacity (cc)	4/1,984	4/1968	4/1968
Max. performance/Revs (kW/rpm)	180/5,250-6,500	147/3,600-4,100	147/3,600-4,100
Max. torque/Revs (Nm/rpm)	370/1,600 -4,300	400/1,750-3,500	400/1,750-3,500
Air pollution regulation/Fuel	EU6AP/Petrol, RON min. 95	EU6AP/Diesel	EU6AP/Diesel
PERFORMANCE			
Maximum speed (km/h)	250	245	238
Acceleration 0–100 km/h (s)	6.8 (6.7)	7.4	6.8
Fuel consumption (I/100 km)			
– urban	9.3–9.4 (9.0)	5.6	6.4
- extra-urban	5.2-5.3 (5.0-5.1)	3.7	4.2
- combined	6.7-6.8 (6.5-6.6)	4.4	5.0
CO ₂ emissions (g/km) – combined	154-156 (149-151)	116	133
Fuel consumption WLTP* (I/100 km)			
- low	_	-	-
- medium	_	_	_
- high	_	-	_
– extra high	_	-	_
- combined	-	-	-
CO ₂ emissions WLTP* (g/km)			
- low	-	-	-
– medium	-	-	-
– high	-	-	-
– extra high	-	-	-
- combined	-	-	-
POWER TRANSMISSION			
Туре	Front-wheel drive	Front-wheel drive	4x4
Clutch	Hydraulic single-disc clutch (Twin coaxial clutch, electro- hydraulically operated)	Twin coaxial clutch, electro- hydraulically operated	Twin coaxial clutch, electro hydraulically operated
Transmission	Manual 6-speed (Automatic 7-speed DSG)	Automatic 7-speed DSG	Automatic 7-speed DSG
WEIGHT			
Kerb weight – in standard version with 75 kg driver (kg)	1,501 (1,532)	1,528	1,614
Payload – incl. driver and extra equipment (kg)	469-597 (468-595)	472-600	503-621
Total weight (kg)**	2,012-2,040 (2,040-2,070)	2,042-2,070	2,141-2,187
Trailer load without brakes (max. kg)	750	750	750
Trailer load with brakes – 12% (max. kg)	1,600	1,600	2,000

ELIDTHED SDECIEICATIONS

Body	5-seater, 5-door, 2-compartment	Exterior dimensions	
Drag coefficient C _w	0.267–0.289 according to car version	Length/Width/Height (mm)	4,702/1,829/1,455; 4x4: 1,454; RS iV: 1,474
Turning circle diameter (m)	11.1	Wheel base (mm)	2,681
Chassis – front axle	McPherson suspension with lower triangular links and torsion stabiliser	Track front/rear (mm)	1,541/1,550; RS iV: 1,539/1,539
- rear axle	Multi-element axle, with longitudinal and transverse links, with torsion stabiliser	Clearance (mm)	129; 4x4: 128; RS iV: 143
Braking system	Hydraulic dual-diagonal circuit braking system electro-hydraulic brake assisted	Interior dimensions	
- front brakes	Disc brakes with inner cooling and with single-piston floating calliper	Lateral room front/rear (mm)	1,463/1,444
- rear brakes	Disc brakes	Effective head room front/rear (mm)	1,039/985
Steering	Direct rack-and-pinion steering with electro-mechanical power steering	Luggage storage space (Without spare tyre)	
Wheels	7.5 x 18"	With rear seat backrests – upright/down (max. l)	640/1,700; RS iV: 490/1,555
Tyres	225/45 R18	Tank capacity (I)	50; 4x4: 55; RS iV: 39.5 + 13 kWh (10 net)

* Specifications measured according to the WLTP (World harmonized light-duty vehicles test procedure) will be provided by importers.

* Specifications measured according to the WLTP (World harmonized light-duty vehicles test procedure) will be provided by importers.

** According to equipment. () Applies to versions with automatic transmission. The diesel engine uses Selective Catalytic Reduction. This system injects AdBlue® to reduce mono-nitrogen oxides (NO_x). The volume of the AdBlue® tank is 12 I and consumption depends on the driving style.

TECHNICAL SPECIFICATIONS OCTAVIA COMBI RS IV	1.4 TSI/EL/180 kW PHEV
ENGINE	Turbocharged petrol engine/electric engine
Cylinders/Cubic capacity (cc)	4/1,395
Max. performance/Revs (kW/rpm)	110/5,000-6,000, el. 85, Σ180
Max. torque/Revs (Nm/rpm)	250/1,550-3,500, el. 330, Σ400
Air pollution regulation/Fuel	EU6AP/Petrol, RON min. 95
PERFORMANCE	
Maximum speed (km/h)	225
Acceleration 0–100 km/h (s)	7.3
Fuel consumption (I/100 km)	
– urban	0.0–0.0
– extra-urban	5.6
- combined	1.5
CO ₂ emissions (g/km) – combined	34
Pure electric range (NEDC) – km	70
Electric energy consumption weighted (NEDC) – Wh/km	114
Electric energy consumption (NEDC) – kWh/100 km	11.4
Fuel consumption WLTP* (I/100 km)	
- combined (weighted)	-
CO ₂ emissions WLTP* (g/km)	
- combined (weighted)	-
Pure electric range; combined (WLTP*) – km	-
Electric energy consumption weighted; combined (WLTP*) – kWh/100 km	-
CHARGING	
AC 2.3 kW (0-100%)	5 h
AC 3.6 kW (0-100%)	3 h 33 min
POWER TRANSMISSION	
Туре	Front-wheel drive
Clutch	Twin coaxial clutch, electro-hydraulically operated
Transmission	Automatic 6-speed DSG
WEIGHT	
Kerb weight – in standard version	
with 75 kg driver (kg)	1,707
Payload – incl. driver and extra equipment (kg)	399–518
Total weight (kg)	2,141–2,163
Trailer load without brakes (max. kg)	0
Trailer load with brakes – 12% (max. kg)	0

** According to equipment. () Applies to versions with automatic transmission. The diesel engine uses Selective Catalytic Reduction. This system injects AdBlue® to reduce mono-nitrogen oxides (NO_x). The volume of the AdBlue® tank is 12 I and consumption depends on the driving style.



4SY 5392



IMAGE DISCLAIMER

The images presented in this catalogue (brochure) are used for illustrative purposes only and are not intended to form part of any contract or warranty. They display pre-series cars and certain illustrations, features, parts and equipment may differ from the actual production cars and from country to country. To get the exact specification of features, parts and equipment, please get in touch with your nearest local ŠKODA dealer.



Г

MY ŠKODA APP

Enjoy full control of your car. Download MY ŠKODA App and access all necessary features anytime, whether it's driving data, fuel range, planning a route or even where you last parked.

IF YOU'VE ENJOYED READING ABOUT IT — IMAGINE DRIVING IT

CALL US TO ARRANGE A TEST DRIVE

Your ŠKODA partner: